

Listing of Claims:

This listing of claims reflects all claim amendments and replaces all prior versions, and listings, of claims in the application. Material to be inserted is in **bold and underline**, and material to be deleted is in ~~strikeout~~ or (if the deletion is of five or fewer consecutive characters or would be difficult to see) in double brackets [[]].

Please amend claims 1-7 as set forth below.

1. (Currently Amended) Locking device (1) for height adjustment of a module, such as a children's seat (3) on a stem (2) in a trolley or a chair, the locking device (1) comprises a movable casing (4) which partly or completely surrounds the stem (2), a handle (5) rotating eccentrically in order to provide tension and friction against the stem (2), characterized in that

a friction element (5) is arranged between the handle (6) and the stem (2);

a spring (8) is arranged between the handle (6) and the friction element (5);

the stem (2) being equipped with a friction pattern (7), such as grooves or indents;

and

the friction element (5) having a pattern corresponding to the friction pattern (7) on the stem (2).

2. (Currently Amended) Locking device (1) according to claim 1,

characterized in that the locking device (1) is an integrated part of a seat (3) or a bracket thereto.

3. (Currently Amended) Footrest (20) for a children's seat (3), characterized in that it is comprised of two rails (21), possibly connected to a foot plate, which is received in guides (22) integrated in the seat, such that the footrest (20) may be displaced telescopically in relation to the seat.

4. (Currently Amended) Footrest (20) according to claim 3, characterized in that the guides (22) are provided with locks (23), such as a friction or hole-and-pin system, which may lock the rails (21) at different positions.

5. (Currently Amended) Telescopic footrest (20) according to the claims 3 or 4, characterized in that the locks (23) are spring-loaded friction locks, allow the footrest 20 to be adjusted upwards by only sliding it, but which still prevents the footrest from slipping down.

6. (Currently Amended) Telescopic footrest (20) according to any one of the claims 3-5, characterized in that the locks (23) are operated by handles (24) which release the footrest (20).

7. (Currently Amended) Telescopic footrest ~~(20)~~ according to **any one** **of** claims 3-6, characterized in that there is an opening between the rails ~~(21)~~ allowing the rails to pass on either side of a stem ~~(2)~~.